

Safety Data Sheet A147XXX according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/14/2015 Revision date: 09/10/2015 Supersedes: 05/14/2015 Version: 2.0

SECTION 4. Identification of the sub		
SECTION 1: Identification of the sub	stance/mixture and of the compa	any/undertaking
1.1. Identification	. Mixture	
Product form Product name	: Mixture : C&H 147	
Product name	: A147XXX-001-001	
	ance or mixture and uses advised again	st
No additional information available		
1.3. Details of the supplier of the safety of	lata sheet	
Seacole-CRC, LLC 13505 Industrial Park Blvd		
Plymouth, MN 55441 - USA		
T 763-582-1140		
www.Seacole.com		
1.4. Emergency telephone number		
Emergency number	: Infotrac - 800-535-5053	
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or m	ixture	
Classification (GHS-US)		
Skin Corr. 1A	H314 -	Causes severe skin burns and eye damage
Eye Dam. 1	H318 -	Causes serious eye damage
Full text of H-phrases: see section 16		
2.2. Label elements		
GHS-US labeling		
Hazard pictograms (GHS-US)		
Signal word (GHS-US)	GHS05 : Danger	
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and e	ve damage
Precautionary statements (GHS-US)	: P260 - Do not breathe mist, spray	ye damaye
r recationary statements (On 5-03)	P264 - Wash clothing, hands, forearms	and face thoroughly after handling
	P280 - Wear eye protection, face protect	ction, protective clothing, protective gloves
	P301+P330+P331 - If swallowed: rinse	mouth. Do NOT induce vomiting Take off immediately all contaminated clothing. Rinse
	skin with water/shower	
		n to fresh air and keep comfortable for breathing
	P305+P351+P338 - If in eyes: Rinse ca lenses, if present and easy to do. Contir	utiously with water for several minutes. Remove contact
	P310 - Immediately call a doctor, a POI	
	P321 - Specific treatment (see a doctor,	, a POISON CENTER on this label)
	P363 - Wash contaminated clothing bef P405 - Store locked up	ore reuse
		hazardous or special waste collection point, in
	accordance with local, regional, nationa	
2.3. Other hazards		
No additional information available		
2.4. Unknown acute toxicity (GHS US)		
Not applicable		

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
2-Butoxyethanol	(CAS No) 111-76-2	3 - 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315
Sodium Carbonate	(CAS No) 497-19-8	3 - 5	Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of H-phrases: see section 16

· ··· ··· · · · · · · · · · · · · · ·	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison center or doctor/physician.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: Causes severe skin burns and eye damage.
Symptoms/injuries after eye contact	: Causes serious eye damage.
4.3. Indication of any immediate medical	l attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the sub	ostance or mixture
Reactivity	: Thermal decomposition generates : Corrosive vapors.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.	
6.3. Methods and material for containme	nt and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal	protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact during pregnancy/while nursing.
Hygiene measures	: Wash thoroughly after handling.
7.2. Conditions for safe storage, includ	ing any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

2-Butoxyethanol (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr
OSHA	OSHA PEL (TWA) (mg/m³)	240 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	50 ppm

8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or face shield.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.
SECTION & Physical and chamica	
SECTION 9: Physical and chemica	
9.1. Information on basic physical and	
Physical state	: Liquid
Color	: Colorless
Odor	: characteristic
Odor threshold	: No data available
pH	: 12.1
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available

Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available

Specific gravity / density

09/10/2015

: 1.044

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium Carbonate (497-19-8)LD50 oral ratLD50 dermal rabbitATE US (oral)2-Butoxyethanol (111-76-2)LD50 oral ratLD50 dermal ratLC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE US (oral)ATE US (oral)ATE US (gases)ATE US (vapors)ATE US (dust, mist)Skin corrosion/irritationSerious eye damage/irritationRespiratory or skin sensitization	Not classified 2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value) 450 ppm/4h (Rat; Experimental value) 1746.000 mg/kg body weight 1100.000 mg/kg body weight 2.200 mg/l/4h 2.1 Causes serious eye damage. pH: 12.1 Not classified Not classified Not classified	
Sodium Carbonate (497-19-8)LD50 oral ratLD50 dermal rabbitATE US (oral)2-Butoxyethanol (111-76-2)LD50 oral ratLD50 dermal ratLC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE US (oral)ATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (dermal)Skin corrosion/irritationSerious eye damage/irritationGerm cell mutagenicity	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rat; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value) 450 ppm/4h (Rat; Experimental value) 1746.000 mg/kg body weight 1100.000 mg/kg body weight 1100.000 mg/kg body weight 2.200 mg/l/4h 2.21 Xot classified Xot classified	
LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2) LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (oral) ATE US (gases) ATE US (vapors)	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value) 450 ppm/4h (Rat; Experimental value) 1746.000 mg/kg body weight 1100.000 mg/kg body weight 1100.000 mg/kg body weight 2.200 mg/l/4h 2.21 X X X X X X X X X X X X X	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2) LD50 dermal rat LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (oral) ATE US (dermal) ATE US (gases) ATE US (dust, mist) Skin corrosion/irritation Serious eye damage/irritation	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value) 450 ppm/4h (Rat; Experimental value) 1746.000 mg/kg body weight 1100.000 mg/kg body weight 450.000 ppmV/4h 2.200 mg/l/4h 2.200 mg/l/4h 2.200 mg/l/4h 2.200 mg/l/4h Causes severe skin burns and eye damage. pH: 12.1 Causes serious eye damage. pH: 12.1	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2) LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (oral) ATE US (dermal) ATE US (gases) ATE US (quast, mist) Skin corrosion/irritation	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value) 450 ppm/4h (Rat; Experimental value) 1746.000 mg/kg body weight 1100.000 mg/kg body weight 450.000 ppmV/4h 2.200 mg/l/4h Causes severe skin burns and eye damage. pH: 12.1 : Causes serious eye damage.	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2) LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (oral) ATE US (dermal) ATE US (gases) ATE US (dust, mist) Skin corrosion/irritation	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value) 450 ppm/4h (Rat; Experimental value) 1746.000 mg/kg body weight 1100.000 mg/kg body weight 450.000 ppmV/4h 2.200 mg/l/4h 2.200 mg/l/4h 2.200 mg/l/4h	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2) LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (oral) ATE US (dermal) ATE US (gases) ATE US (vapors) ATE US (dust, mist)	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value) 450 ppm/4h (Rat; Experimental value) 1746.000 mg/kg body weight 1100.000 mg/kg body weight 450.000 ppmV/4h 2.200 mg/l/4h 2.200 mg/l/4h 2.200 mg/l/4h	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2) LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (oral) ATE US (dermal) ATE US (gases) ATE US (vapors) ATE US (dust, mist)	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value) 450 ppm/4h (Rat; Experimental value) 1746.000 mg/kg body weight 1100.000 mg/kg body weight 450.000 ppmV/4h 2.200 mg/l/4h 2.200 mg/l/4h	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2) LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (dermal) ATE US (gases) ATE US (vapors)	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value) 450 ppm/4h (Rat; Experimental value) 1746.000 mg/kg body weight 1100.000 mg/kg body weight 450.000 ppmV/4h 2.200 mg/l/4h	
Sodium Carbonate (497-19-8)LD50 oral ratLD50 dermal rabbitATE US (oral)2-Butoxyethanol (111-76-2)LD50 oral ratLD50 dermal ratLC50 inhalation rat (mg/l)LC50 inhalation rat (ppm)ATE US (oral)ATE US (oral)ATE US (dermal)ATE US (gases)	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value) 450 ppm/4h (Rat; Experimental value) 1746.000 mg/kg body weight 1100.000 mg/kg body weight 450.000 ppmV/4h	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2) LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (dermal)	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value) 450 ppm/4h (Rat; Experimental value) 1746.000 mg/kg body weight 1100.000 mg/kg body weight	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2) LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral)	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value) 450 ppm/4h (Rat; Experimental value) 1746.000 mg/kg body weight	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2) LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm)	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value) 450 ppm/4h (Rat; Experimental value)	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2) LD50 oral rat LD50 dermal rat LD50 dermal rat (mg/l)	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) 2.2 mg/l/4h (Rat; Experimental value)	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2) LD50 oral rat LD50 dermal rat	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2) LD50 oral rat	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight 1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value)	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral) 2-Butoxyethanol (111-76-2)	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value) 2800.000 mg/kg body weight	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit ATE US (oral)	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value)	
Sodium Carbonate (497-19-8) LD50 oral rat LD50 dermal rabbit	2800 mg/kg (Rat; Experimental value) > 2000 mg/kg (Rabbit; Experimental value)	
Sodium Carbonate (497-19-8) LD50 oral rat	2800 mg/kg (Rat; Experimental value)	
Sodium Carbonate (497-19-8)		
cute toxicity		
	: Not classified	
SECTION 11: Toxicological information on toxicological effects		
ume. Carbon monoxide. Carbon dioxide. Therma		
0.6. Hazardous decomposition products	al decomposition generates : Corregive venera	
trong acids. Strong bases.		
0.5. Incompatible materials		
Direct sunlight. Extremely high or low temperature	es.	
0.4. Conditions to avoid		
lot established.		
0.3. Possibility of hazardous reactions		
lot established.		
0.2. Chemical stability		
Thermal decomposition generates : Corrosive var	pors.	
0.1. Reactivity		
SECTION 10: Stability and reactivity		
No additional information available		
0.2. Other information		
/iscosity, dynamic	: No data available	
/iscosity, kinematic	: No data available	
/iscosity	: No data available	
Decomposition temperature	: No data available	
•	: No data available	
uto-ignition temperature	Complete •: Complete •: 11 g/100ml •: Complete •: 44.45 g/100ml (20 °C) No data available	
uto-ignition temperature	• Complete • Complete • 11 0/100ml • Complete • 44.45 0/100ml (20 10)	
Log Pow Auto-ignition temperature		

2-Butoxyethanol (111-76-2)				
	IARC group	3 - Not classifiable		
09	9/10/2015	EN (English US)	SDS ID: A147XXX	4/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after eye contact	: Causes serious eye damage.

SECTION 12: Ecological information

12.1. Toxicity

Sodium Carbonate (497-19-8)	
LC50 fish 1	300 mg/l (LC50; Other; 96 h; Lepomis macrochirus; Static system; Fresh water; Experimental value)
Threshold limit algae 1	242 mg/l (EC50; 5 days; Algae)
2-Butoxyethanol (111-76-2)	
LC50 fish 1	1474 ppm (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss; Static system; Fresh water; Experimental value)
EC50 Daphnia 1	1550 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	911 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)
Threshold limit algae 2	88 mg/l (NOEC; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)

12.2. Persistence and degradability

C&H 147		
Persistence and degradability	Not established.	
Sodium Carbonate (497-19-8)		
Persistence and degradability	Biodegradability: not applicable. Low potential for adsorption in soil.	
ThOD Not applicable (inorganic)		
2-Butoxyethanol (111-76-2)		
Persistence and degradability	Readily biodegradable in water. Low potential for adsorption in soil. Photooxidation in the air.	
12.3. Bioaccumulative potential		
C&H 147		
Bioaccumulative potential	Not established.	
Sodium Carbonate (497-19-8)		
Log Pow	-6.19 (Estimated value)	

Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		
2-Butoxyethanol (111-76-2)		
Log Pow	0.81 (Test data; 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
12.4 Mobility in soil		

12.4. Mobility in soil

2-Butoxyethanol (111-76-2)		
Surface tension	0.065 N/m (20 °C; Calculated value)	
12.5. Other adverse effects		
Effect on the global warming : No known ecological damage caused by this product.		
Other information	: Avoid release to the environment.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations 13.1. Waste treatment methods Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to ... Ecology - waste materials : Avoid release to the environment. **SECTION 14: Transport information Department of Transportation (DOT)** In accordance with DOT Not regulated for transport TDG No additional information available Transport by sea No additional information available Air transport

No additional information available

ECTION 15: Regulatory information		
5.1. US Federal regulations		
Sodium Carbonate (497-19-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
2-Butoxyethanol (111-76-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 313 - Emission Reporting	100 %	

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

2-Butoxyethanol (111-76-2)	
U.S New Jersey - Right to Know Hazardous Substance List	

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information Revision date : 09/10/2015

Other information

: None.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

ext of fi-philases.	
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 4	Flammable liquids Category 4
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H331	Toxic if inhaled

SDS US (GHS HazCom 2012)

The information contained herein is based upon data believed to be reliable. SEACOLE-CRC, LLC provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. SEACOLE-CRC, LLC knows of no medical condition, other than those noted on this safety data sheet, which are generally recognized as being aggravated by exposure to this product.